



**GLOBAL**

VACUUM PRESSES

*shaping the world*

# CONTENTS

## Woodworking

---

<b>GLOBAL Vacuum Bag Press</b> .....	<b>04</b>
GLOBAL Vacuum Press STANDARD.....	04
GLOBAL Vacuum Press PROFESSIONAL.....	04
GLOBAL Vacuum Press INDUSTRIAL.....	04
GLOBAL Vacuum Bags.....	05
GLOBAL Vacuum Bags - Stairway Stringer.....	05
GLOBAL Accessories for Bag Presses.....	06
<b>GLOBAL Membrane Press</b> .....	<b>07</b>
GLOBAL Membrane Press STANDARD.....	07
GLOBAL Membrane Press PROFESSIONAL.....	08
GLOBAL Membrane Press INDUSTRIAL - Stationary Model.....	09
GLOBAL Membrane Press INDUSTRIAL - Folding Model.....	10
GLOBAL Top Frames for GLOBAL Membrane Press PROFESSIONAL.....	11
GLOBAL Top Frames for GLOBAL Membrane Press INDUSTRIAL.....	12
GLOBAL Membranes for GLOBAL Membrane Presses.....	13
<b>GLOBAL Sprinter Press</b> .....	<b>14</b>
GLOBAL Sprinter STANDARD.....	14
GLOBAL Sprinter PROFESSIONAL.....	15
GLOBAL Sprinter INDUSTRIAL.....	16
GLOBAL 3D-PVC Top Frames.....	17
GLOBAL Top Frames for GLOBAL Sprinter Presses.....	18
GLOBAL Membranes for GLOBAL Sprinter Presses.....	19

## Thermoforming

---

<b>GLOBAL Heating Bar</b> .....	<b>21</b>
<b>GLOBAL EcoTherm Press</b> .....	<b>22</b>
GLOBAL EcoTherm STANDARD.....	22
GLOBAL EcoTherm PROFESSIONAL.....	23
GLOBAL EcoTherm INDUSTRIAL.....	24
<b>GLOBAL SUBLIMATION</b> .....	<b>25</b>
<b>GLOBAL Thermoform Membrane Press</b> .....	<b>26</b>
GLOBAL Thermoform Press STANDARD.....	26
GLOBAL Thermoform Press PROFESSIONAL - Stationary Model.....	27
GLOBAL Thermoform Press PROFESSIONAL - Folding Model.....	28
GLOBAL Thermoform Press INDUSTRIAL.....	29
GLOBAL Thermoform Press AUTOMATIC.....	30
GLOBAL Top Frames for Thermoform Press STANDARD.....	31
GLOBAL Top Frames for Thermoform Press PROFESSIONAL and INDUSTRIAL.....	32
GLOBAL Membranes for GLOBAL Thermoform Presses.....	33
<b>GLOBAL Hydraulic Press</b> .....	<b>34</b>
GLOBAL Hydraulic Press PROFESSIONAL.....	34
GLOBAL Hydraulic Press INDUSTRIAL.....	34



# **GLOBAL**WOODWORKING



## GLOBAL Vacuum Bag Press STANDARD

GVP80 – GLOBAL Vacuum Press 80 (complete system)

### Product Information

- › Maintenance free vacuum pump
- › Continuously run pump with vacuum level adjustment
- › Vacuum bags come standard with 1 C-channel closure over the width



Code	Vacuum Pump	Max. Vacuum Pressure	Motor Power	Bag-Type	Bag-Dimension
GVP80-V1313	8 m <sup>3</sup> /h	9 t/m <sup>2</sup>	0,35 kW	PVC	130 x 130 cm
GVP80-V1913	8 m <sup>3</sup> /h	9 t/m <sup>2</sup>	0,35 kW	PVC	190 x 130 cm
GVP80-V2513	8 m <sup>3</sup> /h	9 t/m <sup>2</sup>	0,35 kW	PVC	250 x 130 cm

## GLOBAL Vacuum Bag Press PROFESSIONAL

GVP100 – GLOBAL Vacuum Press 100 (complete system)

### Product Information

- › Maintenance free vacuum pump
- › Adjustable vacuum switch for automatic vacuum pump stop
- › Vacuum bags come standard with 2 C-channel closures over the width



Code	Vacuum Pump	Max. Vacuum Pressure	Motor Power	Bag-Type	Bag-Dimension
GVP100-PU1913	10 m <sup>3</sup> /h	9 t/m <sup>2</sup>	0,37 kW	PU	190 x 130 cm
GVP100-PU2513	10 m <sup>3</sup> /h	9 t/m <sup>2</sup>	0,37 kW	PU	250 x 130 cm
GVP100-PU3113	10 m <sup>3</sup> /h	9 t/m <sup>2</sup>	0,37 kW	PU	310 x 130 cm

## GLOBAL Vacuum Bag Press INDUSTRIAL

GVP160 – GLOBAL Vacuum Press 160 (complete system)

### Product Information

- › Maintenance free vacuum pump
- › Adjustable vacuum switch for automatic vacuum pump stop
- › Vacuum bags come standard with 2 C-channel closures over the width



Code	Vacuum Pump	Max. Vacuum Pressure	Motor Power	Bag-Type	Bag-Dimension
GVP160-PU2516	16m <sup>3</sup> /h	9 t/m <sup>2</sup>	0,55 kW	PU	250 x 160 cm
GVP160-PU3116	16m <sup>3</sup> /h	9 t/m <sup>2</sup>	0,55 kW	PU	310 x 160 cm
GVP160-PU3716	16m <sup>3</sup> /h	9 t/m <sup>2</sup>	0,55 kW	PU	370 x 160 cm

PU = Polyurethane

PVC = Polyvinyl Chloride

### Shipment for GLOBAL Vacuum Bag Presses

Delivery time:	1 Week on standard items, 2 weeks for custom items.
Shipping:	Ex Works Moncada (Valencia) SPAIN.
Prize:	In Euros, packaging included, excluded VAT.
Warranty:	2 Years, except for the bags.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Vacuum Bags

for GLOBAL Vacuum Bag Presses STANDARD, PROFESSIONAL and INDUSTRIAL

### Product Information

- › Dimensions of the vacuum bags represent actual pressing capacity
- › Custom vacuum bags are available



#### GLOBAL STANDARD Bags

- › For woodworking
- › Elongation 320%
- › Max. temperature 80 °C

Code	Bag-Type	Thickness	Bag-Dimension
VN-S-1313	PVC	0,50 mm	130 x 130 cm
VN-S-1913	PVC	0,50 mm	190 x 130 cm
VN-S-2513	PVC	0,50 mm	250 x 130 cm

#### GLOBAL PROFESSIONAL Bags

- › For woodworking
- › Elongation 600%
- › Max. temperature 100 °C

Code	Bag-Type	Thickness	Bag-Dimension
PU-P-1913	PU	0,50 mm	190 x 130 cm
PU-P-2513	PU	0,50 mm	250 x 130 cm
PU-P-3113	PU	0,50 mm	310 x 130 cm

#### GLOBAL INDUSTRIAL Bags

- › For woodworking
- › Elongation 600%
- › Max. temperature 100 °C

Code	Bag-Type	Thickness	Bag-Dimension
PU-I-2516	PU	0,75 mm	250 x 160 cm
PU-I-3116	PU	0,75 mm	310 x 160 cm
PU-I-3716	PU	0,75 mm	370 x 160 cm

## GLOBAL Vacuum Bags for Stairway Stringers

for GLOBAL Vacuum Bag Presses STANDARD, PROFESSIONAL and INDUSTRIAL

### Product Information

- › Dimensions of the vacuum bags represent actual pressing capacity
- › Custom vacuum bags are available



#### GLOBAL Stairway Stringer Bags

- › For woodworking
- › Elongation 600%
- › Max. temperature 100 °C

Code	Bag-Type	Thickness	Bag-Dimension
PU-P-6006	PU	0,50 mm	600 x 60 cm
PU-P-7006	PU	0,50 mm	700 x 60 cm
PU-P-8006	PU	0,50 mm	800 x 60 cm
PU-I-6006	PU	0,75 mm	600 x 60 cm
PU-I-7006	PU	0,75 mm	700 x 60 cm
PU-I-8006	PU	0,75 mm	800 x 60 cm

PU = Polyurethane

PVC = Polyvinyl Chloride

#### Shipment for GLOBAL Vacuum Bags

Delivery time: 1 Week on standard items, 2 weeks for custom items.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Price: In Euros, packaging included, excluded VAT.  
Warranty: 2 years, except for the bag.

Price and technical characteristics reserved to change without notice.

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**


Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Accessories

for GLOBAL Vacuum Bag Presses



### Accessories for Bag Press STANDARD



Code	Description
GVP-2M	2-Port manifold for connecting 2 bags to 1 pump
GVP-4M	4-Port manifold for connecting 4 bags to 1 pump
GVP-HS-S	Standard hose for connecting pump to bag
GVP-VRS	Vinyl repair set
GVP-CC-S	Set of 2-C-Channel closure, 141 cm

### Accessories for Bag Press PROFESSIONAL



Code	Description
GVP-2M	2-Port manifold for connecting 2 bags to 1 pump
GVP-4M	4-Port manifold for connecting 4 bags to 1 pump
GVP-HS-P	Professional hose for connecting pump to bag
GVP-PURS-P	Polyurethane repair set
GVP-CC-P	Set of 2-C-Channel closure, 141 cm

### Accessories for Bag Press INDUSTRIAL



Code	Description
GVP-VT20	Global vacuum tank 200 liter on wheels and support
GVP-2M	2-Port manifold for connecting 2 bags to 1 pump
GVP-4M	4-Port manifold for connecting 4 bags to 1 pump
GVP-HS-I	Industrial hose for connecting pump to bag
GVP-PURS-I	Polyurethane repair set
GVP-CC-I	Set of 2-C-Channel closure, 166 cm long

#### Shipment for GLOBAL Accessories

Delivery time: 1 Week on standard items, 2 weeks for custom items.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, packaging included, excluded VAT.  
Warranty: No Warranty.

Price and technical characteristics reserved to change without notice.

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Siriului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Membrane Press STANDARD

### PRODUCT INFORMATION

- › Designed for individual and small productions
- › Maintenance free vacuum pumps
- › Max. vacuum pressure 9 t/m<sup>2</sup>
- › 10 mm compact press board with up to 7 suction points
- › Flat natural rubber membrane 2 mm thick
- › Custom sizes available
- › Available with silicone membrane
- › 220 Volt, single phase



Code	Vacuum Pump	Press Capacity	Membrane		Max Pressing Height <sup>1</sup>
			Kind	Height	
GMP-S-1313-00-S	10 m <sup>3</sup> /h	130 x 130 cm	NR	0 mm	400 mm
GMP-S-2513-00-S	16 m <sup>3</sup> /h	250 x 130 cm	NR	0 mm	400 mm
GMP-S-3113-00-S	25 m <sup>3</sup> /h	310 x 130 cm	NR	0 mm	400 mm
GMP-S-3713-00-S	25 m <sup>3</sup> /h	370 x 130 cm	NR	0 mm	400 mm

NR = Natural Rubber

<sup>1</sup> max. pressing height depends on the physical size of the component

### Shipment for GLOBAL Membrane Press STANDARD

Delivery time: 3 Weeks on standard items, 4 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 2 Years, except for the membrane.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Siriului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Membrane Press PROFESSIONAL



### Product Information

- › Maintenance and oil free vacuum pumps
- › Max. vacuum pressure 9 t/m<sup>2</sup>
- › 13 mm compact press board with up to 12 suction points
- › NR membrane 2 mm thick (grey), PU membrane 0,75 mm thick (transparent)
- › Custom sizes available
- › 220 Volt, single phase

Code	Vacuum Pump	Press Capacity	Membrane	
			Kind	Height
GMP-P-1313-00-S	10 m <sup>3</sup> /h	130 x 130 cm	NR	0 mm
GMP-P-1313-25-S	10 m <sup>3</sup> /h	130 x 130 cm	PU	250 mm
GMP-P-1313-50-S	10 m <sup>3</sup> /h	130 x 130 cm	PU	500 mm
GMP-P-2513-00-S	16 m <sup>3</sup> /h	250 x 130 cm	NR	0 mm
GMP-P-2513-25-S	16 m <sup>3</sup> /h	250 x 130 cm	PU	250 mm
GMP-P-2513-50-S	16 m <sup>3</sup> /h	250 x 130 cm	PU	500 mm
GMP-P-3113-00-S	25 m <sup>3</sup> /h	310 x 130 cm	NR	0 mm
GMP-P-3113-25-S	25 m <sup>3</sup> /h	310 x 130 cm	PU	250 mm
GMP-P-3113-50-S	25 m <sup>3</sup> /h	310 x 130 cm	PU	500 mm
GMP-P-3713-00-S	40 m <sup>3</sup> /h	370 x 130 cm	NR	0 mm
GMP-P-3713-25-S	40 m <sup>3</sup> /h	370 x 130 cm	PU	250 mm
GMP-P-3713-50-S	40 m <sup>3</sup> /h	370 x 130 cm	PU	500 mm

NR = Natural Rubber

PU = Polyurethane

### Shipment for GLOBAL Membrane Press PROFESSIONAL

Delivery time: 3 Weeks on standard items, 4 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 2 Years, except for the membrane.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29





## GLOBAL Membrane Press INDUSTRIAL

### Stationary Model

#### Product Information

- › Maintenance and oil free vacuum pump
- › Max. vacuum pressure 9 t/m<sup>2</sup>
- › Adjustable vacuum switch for automatic vacuum pump stop
- › 18 mm compact press board with up to 32 suction points
- › NR membrane 2 mm thick (grey), PU membrane 0,75 mm thick (transparent)
- › Custom sizes available
- › 380 Volt, three-phase



Code	Vacuum Pump	Press Capacity	Membrane		Max Pressing Height <sup>1</sup>
			Kind	Height	
GMP-I-1313-00-S	40m <sup>3</sup> /h	130 x 130 cm	NR	0 mm	400 mm
GMP-I-1313-25-S	40m <sup>3</sup> /h	130 x 130 cm	PU	250 mm	350 mm
GMP-I-1313-50-S	40m <sup>3</sup> /h	130 x 130 cm	PU	500 mm	600 mm
GMP-I-2513-00-S	40m <sup>3</sup> /h	250 x 130 cm	NR	0 mm	400 mm
GMP-I-2513-25-S	40m <sup>3</sup> /h	250 x 130 cm	PU	250 mm	350 mm
GMP-I-2513-50-S	40m <sup>3</sup> /h	250 x 130 cm	PU	500 mm	600 mm
GMP-I-3113-00-S	40m <sup>3</sup> /h	310 x 130 cm	NR	0 mm	400 mm
GMP-I-3113-25-S	40m <sup>3</sup> /h	310 x 130 cm	PU	250 mm	350 mm
GMP-I-3113-50-S	40m <sup>3</sup> /h	310 x 130 cm	PU	500 mm	600 mm
GMP-I-3713-00-S	40m <sup>3</sup> /h	370 x 130 cm	NR	0 mm	400 mm
GMP-I-3713-25-S	40m <sup>3</sup> /h	370 x 130 cm	PU	250 mm	350 mm
GMP-I-3713-50-S	40m <sup>3</sup> /h	370 x 130 cm	PU	500 mm	600 mm

NR = Natural Rubber

PU = Polyurethane

<sup>1</sup> max. pressing height depends on the physical size of the component

#### Shipment for GLOBAL Membrane Press INDUSTRIAL

Delivery time: 3 Weeks on standard items, 4 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 2 Years, except for the membrane.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Membrane Press INDUSTRIAL

### Folding Model

#### Product Information

- › Maintenance and oil free vacuum pump
- › Max. vacuum pressure 9 t/m<sup>2</sup>
- › Adjustable vacuum switch for automatic vacuum pump stop
- › 18 mm compact press board with up to 32 suction points
- › NR membrane 2 mm thick (grey), PU membrane 0.75 mm thick (transparent)
- › Custom sizes available
- › 380 Volt, three-phase



Code	Vacuum Pump	Press Capacity	Membrane		Max Pressing Height <sup>1</sup>
			Kind	Height	
GMP-I-1313-00-F	40m <sup>3</sup> /h	130 x 130 cm	NR	0 mm	400 mm
GMP-I-1313-25-F	40m <sup>3</sup> /h	130 x 130 cm	PU	250 mm	350 mm
GMP-I-1313-50-F	40m <sup>3</sup> /h	130 x 130 cm	PU	500 mm	600 mm
GMP-I-2513-00-F	40m <sup>3</sup> /h	250 x 130 cm	NR	0 mm	400 mm
GMP-I-2513-25-F	40m <sup>3</sup> /h	250 x 130 cm	PU	250 mm	350 mm
GMP-I-2513-50-F	40m <sup>3</sup> /h	250 x 130 cm	PU	500 mm	600 mm
GMP-I-3113-00-F	40m <sup>3</sup> /h	310 x 130 cm	NR	0 mm	400 mm
GMP-I-3113-25-F	40m <sup>3</sup> /h	310 x 130 cm	PU	250 mm	350 mm
GMP-I-3113-50-F	40m <sup>3</sup> /h	310 x 130 cm	PU	500 mm	600 mm
GMP-I-3713-00-F	40m <sup>3</sup> /h	370 x 130 cm	NR	0 mm	400 mm
GMP-I-3713-25-F	40m <sup>3</sup> /h	370 x 130 cm	PU	250 mm	350 mm
GMP-I-3713-50-F	40m <sup>3</sup> /h	370 x 130 cm	PU	500 mm	600 mm

NR = Natural Rubber

PU = Polyurethane

<sup>1</sup> max. pressing height depends on the physical size of the component

#### Shipment for GLOBAL Membrane Press INDUSTRIAL

Delivery time: 4 Weeks on standard items, 5 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 2 Years, except for the membrane.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Top Frames With Membrane

for GLOBAL Membrane Press PROFESSIONAL

### Product Information

- › Delivered complete to fit on GLOBAL Membrane Press PROFESSIONAL
- › Frame cross section 50 x 50 mm
- › Top frames are available in custom sizes
- › NR membrane 2 mm thick (grey), PU membrane 0.75 mm thick (transparent)



Code	Press Capacity	Membrane		Max. Pressing Height <sup>1</sup>
		Kind	Height	
GMP-P-1313-00-TF	130 x 130 cm	NR	0 mm	400 mm
GMP-P-1313-25-TF	130 x 130 cm	PU	250 mm	350 mm
GMP-P-1313-50-TF	130 x 130 cm	PU	500 mm	600 mm
GMP-P-2513-00-TF	250 x 130 cm	NR	0 mm	400 mm
GMP-P-2513-25-TF	250 x 130 cm	PU	250 mm	350 mm
GMP-P-2513-50-TF	250 x 130 cm	PU	500 mm	600 mm
GMP-P-3113-00-TF	310 x 130 cm	NR	0 mm	400 mm
GMP-P-3113-25-TF	310 x 130 cm	PU	250 mm	350 mm
GMP-P-3113-50-TF	310 x 130 cm	PU	500 mm	600 mm
GMP-P-3713-00-TF	370 x 130 cm	NR	0 mm	400 mm
GMP-P-3713-25-TF	370 x 130 cm	PU	250 mm	350 mm
GMP-P-3713-50-TF	370 x 130 cm	PU	500 mm	600 mm

NR = Natural Rubber

PU = Polyurethane

<sup>1</sup> max. pressing height depends on the physical size of the component

### Shipment for GLOBAL Top Frames with Membrane

Delivery time: 2 Weeks on standard items, 3 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 2 Years, except for the membrane.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Top Frames With Membrane

for GLOBAL Membrane Press INDUSTRIAL

### Product Information

- › Delivered complete to fit on GLOBAL Membrane Press INDUSTRIAL
- › Frame cross section 60 x 60 mm
- › Top frames are available in custom sizes
- › NR membrane 2 mm thick (grey), PU membrane 0.75 mm thick (transparent)



Code	Press Capacity	Membrane		Max. Pressing Height <sup>1</sup>
		Kind	Height	
GMP-I-1313-00-TF	130 x 130 cm	NR	0 mm	400 mm
GMP-I-1313-25-TF	130 x 130 cm	PU	250 mm	350 mm
GMP-I-1313-50-TF	130 x 130 cm	PU	500 mm	600 mm
GMP-I-2513-00-TF	250 x 130 cm	NR	0 mm	400 mm
GMP-I-2513-25-TF	250 x 130 cm	PU	250 mm	350 mm
GMP-I-2513-50-TF	250 x 130 cm	PU	500 mm	600 mm
GMP-I-3113-00-TF	310 x 130 cm	NR	0 mm	400 mm
GMP-I-3113-25-TF	310 x 130 cm	PU	250 mm	350 mm
GMP-I-3113-50-TF	310 x 130 cm	PU	500 mm	600 mm
GMP-I-3713-00-TF	370 x 130 cm	NR	0 mm	400 mm
GMP-I-3713-25-TF	370 x 130 cm	PU	250 mm	350 mm
GMP-I-3713-50-TF	370 x 130 cm	PU	500 mm	600 mm

NR = Natural Rubber

PU = Polyurethane

<sup>1</sup> max. pressing height depends on the physical size of the component

### Shipment for GLOBAL Top Frames With Membrane

Delivery time: 3 Weeks on standard items, 4 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 2 Years, except for the membrane.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Membranes

for GLOBAL Membrane Press PROFESSIONAL and INDUSTRIAL (membranes only)

### Product Information

- › Delivered complete to fit on GLOBAL top frames
- › Membranes are available in custom sizes
- › Confirm the height of the membrane with GLOBAL
- › NR membrane 2 mm thick (grey), PU membrane 0.75 mm thick (transparent)



Code	Surface	Membrane		Max. Pressing Height <sup>1</sup>
		Kind	Height	
GNRM-1313-00	130 x 130 cm	NR	0 mm	400 mm
GPUM-1313-25	130 x 130 cm	PU	250 mm	350 mm
GPUM-1313-50	130 x 130 cm	PU	500 mm	600 mm
GNRM-2513-00	250 x 130 cm	NR	0 mm	400 mm
GPUM-2513-25	250 x 130 cm	PU	250 mm	350 mm
GPUM-2513-50	250 x 130 cm	PU	500 mm	600 mm
GNRM-3113-00	310 x 130 cm	NR	0 mm	400 mm
GPUM-3113-25	310 x 130 cm	PU	250 mm	350 mm
GPUM-3113-50	310 x 130 cm	PU	500 mm	600 mm
GNRM-3713-00	370 x 130 cm	NR	0 mm	400 mm
GPUM-3713-25	370 x 130 cm	PU	250 mm	350 mm
GPUM-3713-50	370 x 130 cm	PU	500 mm	600 mm

NR = Natural Rubber

PU = Polyurethane

<sup>1</sup> max. pressing height depends on the physical size of the component

### Shipment for GLOBAL Membranes

Delivery time: 1 Week on standard items, 2 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, packaging included, excluded VAT.  
Warranty: No Warranty.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Sprinter STANDARD

Vacuum membrane press with heating station

### Product Information:

- › Maintenance and oil free vacuum pumps
- › Max. vacuum pressure 9 t/m<sup>2</sup>
- › Heating station up to 70 °C
- › 13 mm compact press board with up to 16 suction points
- › NR membrane 2 mm thick (grey)
- › Black powder coated heating station interior
- › 380 V, three-phase



Code	Vacuum Pump	Press Capacity	Membrane		Max. Pressing Height <sup>1</sup>
			Kind	Height	
GS-S-2513-00	25m <sup>3</sup> /h	250 x 130 cm	NR	0 mm	350 mm
GS-S-3113-00	25m <sup>3</sup> /h	310 x 130 cm	NR	0 mm	350 mm
GS-S-3713-00	25m <sup>3</sup> /h	370 x 130 cm	NR	0 mm	350 mm

## GLOBAL Top Frames With Membrane

for GLOBAL Sprinter STANDARD

### Product Information

- › Delivered complete to fit on GLOBAL Sprinter STANDARD
- › Frame cross section 50 x 50 mm
- › Top frames are available in custom sizes
- › NR membrane 2 mm thick (grey)



Code	Press Capacity	Membrane		Max. Pressing Height <sup>1</sup>
		Kind	Height	
GMP-P-2513-00-TF	250 x 130 cm	NR	0 mm	400 mm
GMP-P-3113-00-TF	310 x 130 cm	NR	0 mm	400 mm
GMP-P-3713-00-TF	370 x 130 cm	NR	0 mm	400 mm

NR = Natural Rubber

<sup>1</sup> max. pressing height depends on the physical size of the component

### Shipment for GLOBAL Sprinter STANDARD

Delivery time: 1 Week for size 310 x 130cm, normally in stock. 4-6 Weeks for other sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 2 Years, except for the membrane.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Sprinter PROFESSIONAL

Vacuum membrane press with powerful heating station

### Product Information:

- › Maintenance and oil free vacuum pump
- › Versatility, can be used for woodworking, solid surface materials and 3D PVC
- › Max. vacuum pressure 9 t/m<sup>2</sup>
- › Heating station up to 140 °C
- › 18 mm compact press board with up to 56 suction points
- › SR membrane 3 mm thick (translucent)
- › Hydraulic opening and closing system
- › 380 V, three-phase



Code	Vacuum Pump	Press Capacity	Membrane		Max. Pressing Height <sup>1/2</sup>
			Kind	Height	
GS-P-2513-00	100 m <sup>3</sup> /h	250 x 130 cm	SR	0 mm	400 mm
GS-P-2513-25	100 m <sup>3</sup> /h	250 x 130 cm	SR	250 mm	600 mm
GS-P-2513-50	100 m <sup>3</sup> /h	250 x 130 cm	SR	500 mm	800 mm
GS-P-3113-00	100 m <sup>3</sup> /h	310 x 130 cm	SR	0 mm	400 mm
GS-P-3113-25	100 m <sup>3</sup> /h	310 x 130 cm	SR	250 mm	600 mm
GS-P-3113-50	100 m <sup>3</sup> /h	310 x 130 cm	SR	500 mm	800 mm
GS-P-3713-00	100 m <sup>3</sup> /h	370 x 130 cm	SR	0 mm	400 mm
GS-P-3713-25	100 m <sup>3</sup> /h	370 x 130 cm	SR	250 mm	600 mm
GS-P-3713-50	100 m <sup>3</sup> /h	370 x 130 cm	SR	500 mm	800 mm

SR = Silicone Rubber

<sup>1</sup> max. pressing height depends on the physical size of the component

<sup>2</sup> with closed heating station max. 500 mm, with opened heating station up to 800 mm

### Shipment for GLOBAL Sprinter PROFESSIONAL

Delivery time: 6-8 Weeks for standard items, 12 Weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 2 Years, except for the membrane.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Sprinter INDUSTRIAL

Two table membrane press with heating station

### Product Information:

- ▶ Maintenance and oil free vacuum pump
- ▶ Versatility, can be used for woodworking and solid surface materials
- ▶ Max. vacuum pressure 9 t/m<sup>2</sup>
- ▶ Two table press to increase productivity
- ▶ Moveable heating station, up to 140 °C
- ▶ 18 mm compact press board with up to 56 suction points
- ▶ SR membrane 3 mm thick (translucent)
- ▶ 380 V, three-phase



Code	Vacuum Pump	Press Capacity	Membrane		Max. Pressing Height <sup>1/2</sup>
			Kind	Height	
GS-I-2513-SR00	100 m <sup>3</sup> /h	2x 250 x 130 cm	SR	0 mm	400 mm
GS-I-2513-SR25	100 m <sup>3</sup> /h	2x 250 x 130 cm	SR	250 mm	600 mm
GS-I-2513-SR50	100 m <sup>3</sup> /h	2x 250 x 130 cm	SR	500 mm	800 mm
GS-I-3113-SR00	100 m <sup>3</sup> /h	2x 310 x 130 cm	SR	0 mm	400 mm
GS-I-3113-SR25	100 m <sup>3</sup> /h	2x 310 x 130 cm	SR	250 mm	600 mm
GS-I-3113-SR50	100 m <sup>3</sup> /h	2x 310 x 130 cm	SR	500 mm	800 mm
GS-I-3713-SR00	100 m <sup>3</sup> /h	2x 370 x 130 cm	SR	0 mm	400 mm
GS-I-3713-SR25	100 m <sup>3</sup> /h	2x 370 x 130 cm	SR	250 mm	600 mm
GS-I-3713-SR25	100 m <sup>3</sup> /h	2x 370 x 130 cm	SR	500 mm	800 mm

SR = Silicone Rubber

<sup>1</sup> max. pressing height depends on the physical size of the component

<sup>2</sup> with heating station max. 500 mm, without heating station up to 800 mm

### Shipment for GLOBAL Sprinter INDUSTRIAL

Delivery time: 6-8 Weeks for standard items, 12 Weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 2 Years, except for the membrane.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29






## GLOBAL 3D PVC Foil Top Frames

for GLOBAL Sprinter PROFESSIONAL

### Product Information:

- › Special 3D PVC foil top frame
- › No need for an clamping frame
- › Top frames are delivered complete to fit on GLOBAL Sprinter PROFESSIONAL
- › Sprinter 3D PVC foil top frames are available in custom sizes



Code	Description	Press Capacity
GS-P-2513-PVC-TF	Special PVC Foil Top Frame complete with gaskets	250 x 130 cm
GS-P-3113-PVC-TF	Special PVC Foil Top Frame complete with gaskets	310 x 130 cm
GS-P-3713-PVC-TF	Special PVC Foil Top Frame complete with gaskets	370 x 130 cm

PVC = Polyvinyl Chloride

### Shipment for GLOBAL 3D PVC Top Frames

Delivery time: 3-4 Weeks on standard items, 4-6 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 2 Years.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Siriului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Top Frames With Membrane

for GLOBAL Sprinter PROFESSIONAL and INDUSTRIAL

### Product Information

- › Top frames are delivered complete to fit on GLOBAL Sprinter
- › GLOBAL Sprinter top frames are available in custom sizes
- › SR membrane 3 mm thick (translucent)



Code GS-P	Code GS-I	Press Capacity Kind	Membrane		Max. Pressing
			Height	Height	
GS-P-2513-00-TF	GS-I-2513-00-TF	250 x 130 cm	SR	0 mm	400 mm
GS-P-2513-25-TF	GS-I-2513-25-TF	250 x 130 cm	SR	250 mm	600 mm
GS-P-2513-50-TF	GS-I-2513-50-TF	250 x 130 cm	SR	500 mm	800 mm
GS-P-3113-00-TF	GS-I-3113-00-TF	310 x 130 cm	SR	0 mm	400 mm
GS-P-3113-25-TF	GS-I-3113-25-TF	310 x 130 cm	SR	250 mm	600 mm
GS-P-3113-50-TF	GS-I-3113-50-TF	310 x 130 cm	SR	500 mm	800 mm
GS-P-3713-00-TF	GS-I-3713-00-TF	370 x 130 cm	SR	0 mm	400 mm
GS-P-3713-25-TF	GS-I-3713-25-TF	370 x 130 cm	SR	250 mm	600 mm
GS-P-3713-50-TF	GS-I-3713-50-TF	370 x 130 cm	SR	500 mm	800 mm

SR = Silicone Rubber

### Shipment for GLOBAL Top Frames

Delivery time: 2 Weeks on standard items, 3 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 2 Years except for the membrane

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirluiului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Sprinter Membranes

for GLOBAL Sprinter PROFESSIONAL and INDUSTRIAL (membranes only)

### Product Information

- › For thermoforming and woodworking
- › Membranes are in custom size available
- › Confirm the height of the membrane with GLOBAL
- › SR membrane 3 mm thick (translucent)



Code	Surface	Membrane		Max. Pressing Height
		Kind	Height	
GSRM-2513-00/3	250 x 130 cm	SR	0 mm	400 mm
GSRM-2513-25/3	250 x 130 cm	SR	250 mm	600 mm
GSRM-2513-50/3	250 x 130 cm	SR	500 mm	800 mm
GSRM-3113-00/3	310 x 130 cm	SR	0 mm	400 mm
GSRM-3113-25/3	310 x 130 cm	SR	250 mm	600 mm
GSRM-3113-50/3	310 x 130 cm	SR	500 mm	800 mm
GSRM-3713-00/3	370 x 130 cm	SR	0 mm	400 mm
GSRM-3713-25/3	370 x 130 cm	SR	250 mm	600 mm
GSRM-3713-50/3	370 x 130 cm	SR	500 mm	800 mm

SR = Silicone Rubber

### Shipment for GLOBAL Sprinter Membranes

Delivery time: 2 Week on standard items, 3 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, packaging included, excluded VAT.  
Warranty: No Warranty

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirluiului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



# **GLOBAL**THERMOFORMING



## GLOBAL Heating Bar

### Electrical-heating bars

Temperature range: 50 – 240 °C  
Max. operating temperature: 170 °C  
Voltage: 220 V  
Heat up time: 5 – 10 min.  
Cross section: 64 x 46 mm

### Product Information

- The temperature can be precisely selected for each application
- Equipped with a standard european plug (3m cable included)
- Scratch and wear-proof silver, anodised surface
- Preheating time 2 min/mm material thickness
- All sides usable
- Portable



Code Bar	Code Cover	Code Cover & Bar	Length	Electric Power	Bar	Cover
GHB-0600	GHBC-0600	GHB-0600	60 cm	500 W	260,-	85,-
GHB-1100	GHBC-1100	GHB-1100	110 cm	700 W	290,-	95,-
GHB-1600	GHBC-1600	GHB-1600	160 cm	800 W	320,-	105,-
GHB-2100	GHBC-2100	GHB-2100	210 cm	1100 W	350,-	115,-
GHB-2600	GHBC-2600	GHB-2600	260 cm	1200 W	390,-	125,-
GHB-3100	GHBC-3100	GHB-3100	310 cm	1450 W	440,-	135,-
GHB-3600	GHBC-3600	GHB-3600	360 cm	1550 W	480,-	145,-
GHB-4100	GHBC-4100	GHB-4100	410 cm	1700 W	520,-	155,-

### Shipment for GLOBAL Heating Bars

Delivery time: 1 week, normally in stock.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, packaging included, excluded VAT.  
Warranty: 2 Years.

**Price and technical characteristics reserved to change without notice.**

### Dealer in Romania:



**ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirluiului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Ecotherm STANDARD

### Single sided preheating oven

Max. temperature: 200 °C  
Max. material thickness: 30 mm  
Electrical power: 220 V / 380 V



#### Product Information:

- › Preheating oven for acrylic solid surface materials
- › Working temperature  $\pm 130$  to  $170$  °C
- › Emergency switch, timer and digital electronic control of the temperature
- › Average energy use 1 to 3 kW/h
- › Single sided heating platen
- › Preheating time 2 min/mm material thickness

Code	Heating Surface
GET-S-1304	130 x 40 cm
GET-S-2504	250 x 40 cm
GET-S-3104	310 x 40 cm
GET-S-3704	370 x 40 cm

#### Shipment for GLOBAL Ecotherm STANDARD

Delivery time: 3-4 weeks on standard items, 6 weeks for custom items.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, exluded packaging, exluded VAT.  
Warranty: 2 Years.

**Price and technical characteristics reserved to change without notice.**

#### Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediu: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544


Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Ecotherm PROFESSIONAL

### Single sided preheating oven

Max. temperature: 200 °C  
Max. material thickness: 30 mm  
Electrical power: 380 V / three phase  
Working height: 1000 mm



#### Product Information:

- Preheating oven for acrylic solid surface materials
- Working temperature  $\pm 130$  to  $170$  °C
- Adjustable digital temperature control
- Overheating protection
- Average energy use 1 to 3 kW/h
- Single sided heating platen
- Preheating time 2 min/mm material thickness

Code	Heating Surface
GET-P-1310-1Z	130 x 100 cm
GET-P-2510-1Z	250 x 100 cm
GET-P-2510-3Z	3 zones of 83 x 100 cm
GET-P-2514-1Z	250 x 140 cm
GET-P-2514-3Z	3 zones of 83 x 140 cm
GET-P-3110-1Z	310 x 100 cm
GET-P-3110-3Z	3 zones of 103 x 100 cm
GET-P-3114-1Z	310 x 140 cm
GET-P-3114-3Z	3 zones of 103 x 140 cm
GET-P-3710-1Z	370 x 100 cm
GET-P-3710-3Z	3 zones of 123 x 100 cm
GET-P-3714-1Z	370 x 140 cm
GET-P-3714-3Z	3 zones of 123 x 140 cm

#### Shipment for GLOBAL Ecotherm PROFESSIONAL

Delivery time: 4 Weeks on standard items, 6 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, exluded packaging, exluded VAT.  
Warranty: 3 Years.

**Price and technical characteristics reserved to change without notice.**

#### Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Ecotherm INDUSTRIAL

### Double sided preheating oven

Max. temperature: 200 °C  
Max. material thickness: 30 mm, adjustable  
Electrical power: 380 V / three phase  
Working height: 1000 mm

#### Product Information:

- Preheating oven for acrylic solid surface materials
- Working temperature  $\pm 130$  to  $170$  °C
- Pneumatic opening and closing system with foot pedals
- Adjustable digital temperature control
- Overheating protection
- Average energy use 1 to 3 kW/h
- Double sided heating platen
- Preheating time 1 min/mm material thickness



Code		Heating Surface
GET-I-1310-1Z		130 x 100 cm
GET-I-2510-1Z		250 x 100 cm
GET-I-2510-3Z	3 zones of	83 x 100 cm
GET-I-2514-1Z		250 x 140 cm
GET-I-2514-3Z	3 zones of	83 x 140 cm
GET-I-3110-1Z		310 x 100 cm
GET-I-3110-3Z	3 zones of	103 x 100 cm
GET-I-3114-1Z		310 x 140 cm
GET-I-3114-3Z	3 zones of	103 x 140 cm
GET-I-3710-1Z		370 x 100 cm
GET-I-3710-3Z	3 zones of	123 x 100 cm
GET-I-3714-1Z		370 x 140 cm
GET-I-3714-3Z	3 zones of	123 x 140 cm

#### Shipment for GLOBAL Ecotherm INDUSTRIAL

Delivery time: 4 Weeks on standard items, 6 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 3 Years.

**Price and technical characteristics reserved to change without notice.**

#### Dealer in Romania:



**ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29





## GLOBAL Sublimation

Max. temperature: 200 °C  
Max. material thickness: 30 mm  
Electrical power: 380 V / three phase  
Working height: 1000 mm

### Product Information:

- › Designed for high quality sublimation
- › Working temperature  $\pm 175$  °C
- › Single sided anodized heating platen
- › Adjustable digital temperature control
- › Overheating protection
- › Average energy use 1 to 3 kW/h
- › Maintenance and oil free vacuum pumps
- › Vacuum suction points directly in platen
- › Custom sizes available



Code	Vacuum Pump	Heating Surface	Membrane		Max Pressing Height <sup>1</sup>
			Kind	Height	
G-SUB-1310-00	10 m <sup>3</sup> /h	130 x 100 cm	SR	0 mm	400 mm
G-SUB-2510-00	16 m <sup>3</sup> /h	250 x 100 cm	SR	0 mm	400 mm
G-SUB-3110-00	25 m <sup>3</sup> /h	310 x 100 cm	SR	0 mm	400 mm
G-SUB-3710-00	40 m <sup>3</sup> /h	370 x 100 cm	SR	0 mm	400 mm

### Shipment for GLOBAL Sublimation

Delivery time: 4 Weeks on standard items, 6 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, exluded packaging, exluded VAT.  
Warranty: 3 Years, except for the membrane.

**Price and technical characteristics reserved to change without notice.**

### Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Siriului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Thermoform Press STANDARD

### PRODUCT INFORMATION

- › Designed for individual and small productions
- › Maintenance free vacuum pumps
- › Max. vacuum pressure 9 t/m<sup>2</sup>
- › 10 mm compact press board with up to 7 suction points
- › Flat silicone rubber membrane 2 mm thick
- › High volume membranes available
- › Custom sizes available
- › 220 Volt, single phase



Code	Vacuum Pump	Press Capacity	Membrane		Max Pressing Height <sup>1</sup>
			Kind	Height	
GTP-S-1313-00-S	10 m <sup>3</sup> /h	130 x 130 cm	SR	0 mm	400 mm
GTP-S-2513-00-S	16 m <sup>3</sup> /h	250 x 130 cm	SR	0 mm	400 mm
GTP-S-3113-00-S	25 m <sup>3</sup> /h	310 x 130 cm	SR	0 mm	400 mm
GTP-S-3713-00-S	25 m <sup>3</sup> /h	370 x 130 cm	SR	0 mm	400 mm

SR = Silicone Rubber

<sup>1</sup> max. pressing height depends on the physical size of the component

### Shipment for GLOBAL Thermoform Press STANDARD

Delivery time: 3 Weeks on standard items, 4 weeks for custom items.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 3 Years, except for the membrane.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Siriului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Thermoform Press PROFESSIONAL

### Stationary Model

#### Product Information:

- › Usable for thermoforming and woodworking
- › Maintenance and oil free vacuum pump
- › Max. vacuum pressure 9 t/m<sup>2</sup>
- › Adjustable vacuum switch for automatic vacuum pump stop
- › 18 mm compact press board with up to 32 suction points
- › SR membrane 2 mm thick (translucent), heat resistant up to 230 °C
- › Option of heating and cooling press plates
- › 380 Volt, three-phase



Code	Vacuum Pump	Press Capacity	Membrane		Max Pressing Height <sup>1</sup>
			Kind	Height	
GTP-P-1313-00-S	40 m <sup>3</sup> /h	130 x 130 cm	SR	0 mm	400 mm
GTP-P-1313-25-S	40 m <sup>3</sup> /h	130 x 130 cm	SR	250 mm	600 mm
GTP-P-1313-50-S	40 m <sup>3</sup> /h	130 x 130 cm	SR	500 mm	800 mm
GTP-P-2513-00-S	40 m <sup>3</sup> /h	250 x 130 cm	SR	0 mm	400 mm
GTP-P-2513-25-S	40 m <sup>3</sup> /h	250 x 130 cm	SR	250 mm	600 mm
GTP-P-2513-50-S	40 m <sup>3</sup> /h	250 x 130 cm	SR	500 mm	800 mm
GTP-P-3113-00-S	40 m <sup>3</sup> /h	310 x 130 cm	SR	0 mm	400 mm
GTP-P-3113-25-S	40 m <sup>3</sup> /h	310 x 130 cm	SR	250 mm	600 mm
GTP-P-3113-50-S	40 m <sup>3</sup> /h	310 x 130 cm	SR	500 mm	800 mm
GTP-P-3713-00-S	40 m <sup>3</sup> /h	370 x 130 cm	SR	0 mm	400 mm
GTP-P-3713-25-S	40 m <sup>3</sup> /h	370 x 130 cm	SR	250 mm	600 mm
GTP-P-3713-50-S	40 m <sup>3</sup> /h	370 x 130 cm	SR	500 mm	800 mm

SR = Silicone Rubber

<sup>1</sup> max. pressing height depends on the physical size of the component

#### Shipment for GLOBAL Thermoform Press PROFESSIONAL

Delivery time: 4 Weeks on standard items, 6 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 3 Years, except for the membrane.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Thermoform Press PROFESSIONAL

### Folding Model

#### Product Information:

- › Usable for thermoforming and woodworking
- › Maintenance and oil free vacuum pump
- › Max. vacuum pressure 9 t/m<sup>2</sup>
- › Adjustable vacuum switch for automatic vacuum pump stop
- › 18 mm compact press board with up to 32 suction points
- › SR membrane 2 mm thick (translucent), heat resistant up to 230 °C
- › 380 Volt, three-phase



Code	Vacuum Pump	Press Capacity	Membrane		Max Pressing Height <sup>1</sup>
			Kind	Height	
GTP-P-1313-00-F	40 m <sup>3</sup> /h	130 x 130 cm	SR	0 mm	400 mm
GTP-P-1313-25-F	40 m <sup>3</sup> /h	130 x 130 cm	SR	250 mm	600 mm
GTP-P-1313-50-F	40 m <sup>3</sup> /h	130 x 130 cm	SR	500 mm	800 mm
GTP-P-2513-00-F	40 m <sup>3</sup> /h	250 x 130 cm	SR	0 mm	400 mm
GTP-P-2513-25-F	40 m <sup>3</sup> /h	250 x 130 cm	SR	250 mm	600 mm
GTP-P-2513-50-F	40 m <sup>3</sup> /h	250 x 130 cm	SR	500 mm	800 mm
GTP-P-3113-00-F	40 m <sup>3</sup> /h	310 x 130 cm	SR	0 mm	400 mm
GTP-P-3113-25-F	40 m <sup>3</sup> /h	310 x 130 cm	SR	250 mm	600 mm
GTP-P-3113-50-F	40 m <sup>3</sup> /h	310 x 130 cm	SR	500 mm	800 mm
GTP-P-3713-00-F	40 m <sup>3</sup> /h	370 x 130 cm	SR	0 mm	400 mm
GTP-P-3713-25-F	40 m <sup>3</sup> /h	370 x 130 cm	SR	250 mm	600 mm
GTP-P-3713-50-F	40 m <sup>3</sup> /h	370 x 130 cm	SR	500 mm	800 mm

SR = Silicone Rubber

<sup>1</sup> max. pressing height depends on the physical size of the component

#### Shipment for GLOBAL Thermoform Press INDUSTRIAL – Folding Model

Delivery time: 4 Weeks on standard items, 6 weeks for custom sizes.  
 Shipping: Ex Works Moncada (Valencia) SPAIN.  
 Prize: In Euros, excluded packaging, excluded VAT.  
 Warranty: 3 Years, except for the membrane.

**Price and technical changes reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Thermoform Press INDUSTRIAL

### Product Information:

- › Usable for thermoforming and woodworking
- › Maintenance and oil free vacuum pump
- › Max. vacuum pressure 9 t/m<sup>2</sup>
- › Adjustable vacuum switch for automatic vacuum pump stop
- › 18 mm compact press board with up to 56 suction points
- › SR membrane 2 mm thick (translucent), heat resistant up to 230 °C
- › Option of heating and cooling press plates
- › 380 Volt, three-phase



Code	Vacuum Pump	Press Capacity	Membrane		Max Pressing Height <sup>1</sup>
			Kind	Height	
GTP-I-1313-00-S	140 m <sup>3</sup> /h	130 x 130 cm	SR	0mm	400 mm
GTP-I-1313-25-S	140 m <sup>3</sup> /h	130 x 130 cm	SR	250 mm	600 mm
GTP-I-1313-50-S	140 m <sup>3</sup> /h	130 x 130 cm	SR	500 mm	800 mm
GTP-I-2513-00-S	140 m <sup>3</sup> /h	250 x 130 cm	SR	0 mm	400 mm
GTP-I-2513-25-S	140 m <sup>3</sup> /h	250 x 130 cm	SR	250 mm	600 mm
GTP-I-2513-50-S	140 m <sup>3</sup> /h	250 x 130 cm	SR	500 mm	800 mm
GTP-I-3113-00-S	140 m <sup>3</sup> /h	310 x 130 cm	SR	0 mm	400 mm
GTP-I-3113-25-S	140 m <sup>3</sup> /h	310 x 130 cm	SR	250 mm	600 mm
GTP-I-3113-50-S	140 m <sup>3</sup> /h	310 x 130 cm	SR	500 mm	800 mm
GTP-I-3713-00-S	140 m <sup>3</sup> /h	370 x 130 cm	SR	0 mm	400 mm
GTP-I-3713-25-S	140 m <sup>3</sup> /h	370 x 130 cm	SR	250 mm	600 mm
GTP-I-3713-50-S	140 m <sup>3</sup> /h	370 x 130 cm	SR	500 mm	800 mm

SR = Silicone Rubber

<sup>1</sup> max. pressing height depends on the physical size of the component

### Shipment for GLOBAL Thermoform Press INDUSTRIAL – Stationary Model

Delivery time: 4 Weeks on standard items, 6 weeks for custom sizes.  
 Shipping: Ex Works Moncada (Valencia) SPAIN.  
 Prize: In Euros, excluded packaging, excluded VAT.  
 Warranty: 3 Years, except for the membrane.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Thermoform Press AUTOMATIC

### Product Information:

- › Usable for thermoforming and woodworking
- › Developed for automatic industrial production
- › Vertical lifting-lowering system
- › Colour touchscreen
- › Max. vacuum pressure 9 t/m<sup>2</sup>
- › Maintenance and oil free vacuum pump
- › 18 mm compact press board with up to 56 suction points
- › SR membrane 2 mm thick (translucent), heat resistant up to 230 °C
- › High volume membranes available
- › Option of heating and cooling press plates
- › 380 Volt, three-phase



Code	Vacuum Pump	Press Capacity	Membrane		Max Pressing Height <sup>1</sup>
			Kind	Height	
GTP-A-2513-00-S	140 m <sup>3</sup> /h	250 x 130 cm	SR	0 mm	400 mm
GTP-A-3113-00-S	140 m <sup>3</sup> /h	310 x 130 cm	SR	0 mm	400 mm
GTP-A-3713-00-S	140 m <sup>3</sup> /h	370 x 130 cm	SR	0 mm	400 mm

SR = Silicone Rubber

<sup>1</sup> max. pressing height depends on the physical size of the component

### Shipment for GLOBAL Thermoform Press AUTOMATIC

Delivery time: 6 Weeks on standard items, 8 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 2 Years, except for the membrane.

**Price and technical characteristics reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Top Frames With Membrane

for GLOBAL Thermoform Membrane Press STANDARD

### Product Information

- › Delivered complete to fit on GLOBAL Thermoform Membrane Press STANDARD
- › Frame cross section 50 x 50 mm
- › Top frames are available in custom sizes
- › Silicone rubber membrane for thermoforming and woodworking
- › Translucent and heat resistant up to 230 °C membrane
- › Elongation 850%



Code	Press Capacity	Membrane		Max. Pressing Height <sup>1</sup>
		Kind	Height	
GTP-S-1313-00-TF	130 x 130 cm	SR	0 mm	400 mm
GTP-S-1313-25-TF	130 x 130 cm	SR	250 mm	600 mm
GTP-S-1313-50-TF	130 x 130 cm	SR	500 mm	800 mm
GTP-S-2513-00-TF	250 x 130 cm	SR	0 mm	400 mm
GTP-S-2513-25-TF	250 x 130 cm	SR	250 mm	600 mm
GTP-S-2513-50-TF	250 x 130 cm	SR	500 mm	800 mm
GTP-S-3113-00-TF	310 x 130 cm	SR	0 mm	400 mm
GTP-S-3113-25-TF	310 x 130 cm	SR	250 mm	600 mm
GTP-S-3113-50-TF	310 x 130 cm	SR	500 mm	800 mm
GTP-S-3713-00-TF	370 x 130 cm	SR	0 mm	400 mm
GTP-S-3713-25-TF	370 x 130 cm	SR	250 mm	600 mm
GTP-S-3713-50-TF	370 x 130 cm	SR	500 mm	800 mm

SR = Silicone Rubber

GTP-S = GLOBAL Thermoform Membrane Press STANDARD

<sup>1</sup> max. pressing height depends on the physical size of the component

### Shipment for GLOBAL Top Frames

Delivery time: 2-4 Weeks on standard items, 4-6 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 3 Years, except the membrane.

**Price and technical changes reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Top Frames With Membrane

for GLOBAL Thermoform Membrane Press PROFESSIONAL and INDUSTRIAL

### Product Information:

- Delivered complete to fit on GLOBAL Thermoform Membrane Press PROFESSIONAL or INDUSTRIAL
- Frame cross section 60 x 60 mm
- Top frames are available in custom sizes
- Silicone rubber membrane for thermoforming and woodworking
- Translucent and heat resistant up to 230 °C membrane
- Elongation 850%



Code GTP-P	Code GTP-I	Press Capacity	Membrane		Max. Pressing Height <sup>1</sup>
			Kind	Height	
GTP-P-1313-00-TF	GTP-I-1313-00-TF	130 x 130 cm	SR	0 mm	400 mm
GTP-P-1313-25-TF	GTP-I-1313-25-TF	130 x 130 cm	SR	250 mm	600 mm
GTP-P-1313-50-TF	GTP-I-1313-50-TF	130 x 130 cm	SR	500 mm	800 mm
GTP-P-2513-00-TF	GTP-I-2513-00-TF	250 x 130 cm	SR	0 mm	400 mm
GTP-P-2513-25-TF	GTP-I-2513-25-TF	250 x 130 cm	SR	250 mm	600 mm
GTP-P-2513-50-TF	GTP-I-2513-50-TF	250 x 130 cm	SR	500 mm	800 mm
GTP-P-3113-00-TF	GTP-I-3113-00-TF	310 x 130 cm	SR	0 mm	400 mm
GTP-P-3113-25-TF	GTP-I-3113-25-TF	310 x 130 cm	SR	250 mm	600 mm
GTP-P-3113-50-TF	GTP-I-3113-50-TF	310 x 130 cm	SR	500 mm	800 mm
GTP-P-3713-00-TF	GTP-I-3713-00-TF	370 x 130 cm	SR	0 mm	400 mm
GTP-P-3713-25-TF	GTP-I-3713-25-TF	370 x 130 cm	SR	250 mm	600 mm
GTP-P-3713-50-TF	GTP-I-3713-50-TF	370 x 130 cm	SR	500 mm	800 mm

SR = Silicone Rubber

GTP-P = GLOBAL Thermoform Membrane Press PROFESSIONAL

GTP-I = GLOBAL Thermoform Membrane Press INDUSTRIAL

<sup>1</sup> max. pressing height depends on the physical size of the component

### Shipment for GLOBAL Top Frames

Delivery time: 2-4 Weeks on standard items, 4-6 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, excluded packaging, excluded VAT.  
Warranty: 3 Years, except the membrane.

**Price and technical changes reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirluiului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29





## GLOBAL Membranes

for GLOBAL Thermoform Membrane Presses (membranes only)

### Product Information:

- › For thermoforming and woodworking
- › SR membrane 2 mm thick (translucent)
- › Heat resistant up to 230 °C
- › Elongation 850%



Code	Surface	Membrane		Max. Pressing Height
		Kind	Height	
GSM-1313-00/2	130 x 130 cm	SR	0 mm	400 mm
GSM-1313-25/2	130 x 130 cm	SR	250 mm	600 mm
GSM-1313-50/2	130 x 130 cm	SR	500 mm	800 mm
GSM-2513-00/2	250 x 130 cm	SR	0 mm	400 mm
GSM-2513-25/2	250 x 130 cm	SR	250 mm	600 mm
GSM-2513-50/2	250 x 130 cm	SR	500 mm	800 mm
GSM-3113-00/2	310 x 130 cm	SR	0 mm	400 mm
GSM-3113-25/2	310 x 130 cm	SR	250 mm	600 mm
GSM-3113-50/2	310 x 130 cm	SR	500 mm	800 mm
GSM-3713-00/2	370 x 130 cm	SR	0 mm	400 mm
GSM-3713-25/2	370 x 130 cm	SR	250 mm	600 mm
GSM-3713-50/2	370 x 130 cm	SR	500 mm	800 mm

SR = Silicone Rubber

<sup>1</sup> max. pressing height depends on the physical size of the component

### Shipment for GLOBAL Membranes

Delivery time: 2 Weeks on standard items, 3 weeks for custom sizes.  
Shipping: Ex Works Moncada (Valencia) SPAIN.  
Prize: In Euros, packaging included, excluded VAT.  
Warranty: No warranty.

**Price and technical changes reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



## GLOBAL Hydraulic Press PROFESSIONAL

### GLOBAL 40t Hydraulic Press

**Product Information:**

- › Including bed plates
- › Cylinder stroke 250 mm
- › Hydraulic pressure 200 bar
- › Designed to press complicated and deep 3D solid surface shapes
- › 380 V, three-phase



Code	Bed Plate	Front Opening	Press Capacity	Cylinder Down Speed
GHP-P-0804	800 x 600 mm	100 - 900 mm	40t	10 mm/s
GHP-P-1306	1300 x 600 mm	100 - 900 mm	40t	10 mm/s

## GLOBAL Hydraulic Press INDUSTRIAL

### GLOBAL 40t Hydraulic Presses

**Product Information:**

- › Including bed plates
- › Cylinder stroke 300 mm
- › Hydraulic pressure 200 bar
- › Designed to press complicated and deep 3D solid surface shapes
- › 380 V, three-phase



Code	Bed Plate	Front Opening	Press Capacity	Cylinder Down Speed
GHP-0807	800 x 700 mm	300 - 600 mm	40t	10 mm/s
GHP-1708	1700 x 800 mm	300 - 600 mm	40t	10 mm/s

**Shipment for GLOBAL Hydraulic Press INDUSTRIAL**

Delivery time:	2 Weeks on standard items, 6-8 weeks for custom sizes.
Shipping:	Ex Works Moncada (Valencia) SPAIN.
Prize:	In Euros, excluded packing, excluded VAT.
Warranty:	2 years.

**Price and technical changes reserved to change without notice.**

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediul: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Sirlului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29



**GLOBAL**  
VACUUM PRESSES  
*shaping the world*

Dealer in Romania:

 **ECHIPAMENTE - TEHNOLOGIE - SERVICE SRL**

Sediu: Baia Mare, str. Granicerilor, nr. 79, tel.0262 259 205, fax: 0262 279 544

Birou comercial: Bucuresti, str. Siriului, nr. 60A, sector 1, tel. 021 232 25 48, fax: 021 232 06 29