
Modules, tools, and applications Zünd Digital Cutter



Your first choice in digital cutting.




Cutting

Electric Oscillating Tool – EOT



- High-frequency oscillating tool for soft and medium-density materials.
- Depending on application, available with 0.5 mm or 1.0 mm stroke
- Perfect for cutting detailed contours
- Very high stroke frequency
- High processing speeds
- Compatible with G3, S3, L3, D3







Powerful tool with high-performance electric drive for processing thick cardboard and leather materials.

- 2.5 mm stroke
- Very high processing speeds • Wide range of Zünd oscillating blades available
- Compatible with G3, S3, L3, D3



Sandwich board







Furniture

3D displays

Shoes

Pneumatic Oscillating Tool – POT



Powerful oscillating tool with extended stroke for cutting tough, dense materials up to 50mm / 4.3 in thick.

- Powerful oscillation with 8 mm stroke
- Robust, maintenance-free pneumatic drive
- Two versions available for 0.6 mm or 1.5 mm blade thicknesses
- Compatible with G3, S3, L3, D3







Power Rotary Tool – PRT



Robust, powerful tool for technically demanding textiles, carbon and glass fiber materials.

- Use of rotary blades reduces drag force
- Choice of 3 RPM levels (16.000/12.000/8.000)
- Low-impact processing of materials with low melting points
- High throughput and clean, precise cuts
- Compatible with G3, D3

Driven Rotary Tool – DRT



Tool for processing technical textiles and fabrics. The motor-driven rotary blade allows for very high processing speeds.

- Use of rotary blades reduces drag force
- Choice of 2 RPM levels (20.000/12.000)
- Clean separation of each individual fiber
- Compatible with G3, S3, L3, D3

Wheel Knife Tool – WKT



Low-maintenance tool for processing single-ply glass and carbon fiber as well as technically demanding textiles.

- High cutting speeds
- Uses rotary, high-speed steel blades (HSS)
- Processing possible without vacuum holddown
- Clean and efficient processing method
- Special polyurethane (PU) cutting underlay
- Compatible with G3, D3

Foam inserts

Foam

Containers

Cutting dies



Carbon fiber



Automotive industry



Glass fiber



Aerospace industry



Aramid fiber



Defense industry



Netting



Building wraps



Acrylic



Awnings



Balloon silk



Air dancers



Glass fiber



Wind turbine blades



Sail cloth



Sails



PVC



Shade sails

Universal Cutting Tool – UCT



- Universal cutting tool for materials up to 5 mm thick.
- Wide range of drag knives in Zünd accessory range
- Very high processing speeds
- Compatible with G3, S3, L3, D3







Corrugated box

Press Cutting Tool – PCT



Tool that simultaneously cuts and compresses corrugated cardboard.

- Special glide shoe for top-quality results equal to die-cutting
- Very high cutting speeds
- Simple, precise depth adjustment
- Suitable for max. material thickness: 7 mm
- Compatible with G3, S3, D3



Corrugated cardboard





Cardboard boxes


Scoring Cutting Tool – SCT



Combination tool for scoring and cutting cardboard and coating blankets up to 5 mm thick.

- Very high processing speeds
- The blade is extended/retracted pneumatically
- Can be used with all flat-stock drag knives Zünd offers
- Spring-loaded glideshoe available as option • Compatible with G3, S3, D3







Rubber



V-Cutting Tool – VCT1



Tool with seven different cutting angles. Capable of producing complex structural designs from foamcore or honeycomb display board materials.

- Simple, precise angle settings
- Cuts material in seven different angles (0°, 5°, 10°, 15°, 22.5°, 30°, 45°)
- Very quick blade changes
- Compatible with G3, S3, D3

V-Cutting Tool – VCT2



Tool with seven different cutting angles. Capable of producing complex structural designs from acoustic panels or polyester fiber boards display board materials.

- Simple, precise angle settings
- Cuts material in seven different angles (0°, 5°, 10°, 15°, 22.5°, 30°, 45°)
- Very quick blade changes
- Compatible with G3, D3

Passepartout Tool – PPT



Precise, consistently high-quality 45° angle cuts.

- Precise control of cutting depth
- Adjustment gauge included
- Processes cardboard and polymer materials up to 5 mm / .19 in thick
- Compatible with G3, S3, D3



Archiving boxes

Cutting dies

Printing blankets

POP/POS displays



Sandwich board



Furniture



Foamcoreboards



Trade-show booth



Folding carton



POP displays



Polyester fiber boards



Acoustic panels




Trade-show booth



Cardboard



Picture frames



Gray board



Archiving boxes



Folding carton



Picture mats


Kiss-Cutting

Kiss-Cut Module – KCM-S



- Accurate kiss-cutting through precise, electronically controlled cutting pressure.
- Kiss-cutting and through-cutting of all commonly used vinyl/films
- Clean separation of self-adhesive vinyl without damage to liner material
- Compatible with S3





Decorative films

Self-adhesive vinyls





Kiss-cutting tool with adjustable pressure for processing many different types of vinyl.

- Two processing methods: Kiss-Cut + Through-cut
- Max. material thickness: 3 mm
- Precise control of cutting depth
- Clean separation of vinyl from liner material
- Special glideshoe available for processing
- Diamondgrade vinyl
- Compatible with G3, S3, D3



Vinyl graphics





Traffic signs

Reflective films





Creasing

Creasing Tool Type 1 – CTT1



The CTT1 is the optimal tool for processing single-wall corrugated board.

- Creases without tearing
- Pressure settings are individually controllable, with or against the corrugation
- Crease wheels simply snap in place in the tool holder
- Crease wheel diameter: 61 mm / 2.4 in
- Crease wheel width: 20 mm / .79 in
- Compatible with G3, S3, D3

Creasing Tool Type 2 – CTT2



Universal creasing tool for polypropylene, carton, or honeycomb materials.

- Creases without tearing
- Individually controllable pressure settings
- Compatible with G3, S3, D3



Creasing Tool Type 3 – CTT3



The CTT3 is the optimal tool for processing double-wall corrugated board.

- Creases without tearing
- Individually controllable pressure, with or against corrugation
- Crease wheels simply snap in place in the tool holder
- Crease wheel diameter: 90 mm / 3.5 in
- Crease wheel width: 28 mm / 1.1 in
- · Optional with extended insert sleeve for cutters with 120 mm / 4.7 in beam height
- Compatible with G3, D3



• Compatible with G3, S3, D3

Ideal tool for creating precise perforations.

Folded box

Tissue box

Folding carton

Business card wallet

Polypropylene

Perforating

Perforating Tool Type 1 – PTT1







Corrugated cardboard, single-wall








Containers, boxes, packaging



Folding carton



Folders



Corrugated plastic



Corrugated box



Polypropylene



Document wallet



Corrugated cardboard, double-wall







Containers, boxes, POS displays

Routing and Engraving

Router Modules – RM

The centerpiece of all Zünd router modules is a high-performance, high-frequency spindle. Depending on applications and requirements, versions from 1 to 3.6 kW are available.

- Routing, engraving, polishing with one and the same module
- Capable of processing a wide range of materials
- Active cooling for reliable heat dissipation
- Efficient dust extraction for clean operation
- Designed for 24/7 operation
- Wide assortment of Zünd router bits available




Wood










Acrylic





Soft foam

Router Module – RM-L

- 3.6 kW router spindle with pneumatic clamping system
- Routing depth up to 50 mm
- Collet holders HSK-E25 for bits with shaft Ø up to 10 mm
- Integrated Minimal Quantity Lubrication -MQL for processing aluminium/ACM Surface compensation for precise routing
- despite variances in material thickness Compatible with Automatic Router bit Changer – ARC HSK
- Compatible with G3, D3

Router Module – RM-A / RM-A QC

- 1 kW router spindle, optionally with manual or pneumatic collet
- Routing depth up to 50 mm
- Optional Minimal Quantity Lubrication -MQL for processing aluminium/ACM
- Surface compensation for precise routing
- despite variances in material thickness • For bits with shaft Ø up to 6 mm (RM-A) or
- 6 mm with stop ring (RM-A QC) • With pneumatic collet, compatible with
- Automatic Router bit Changer ARC
- Compatible with G3, D3

Universal Routing Tool – URT



Automatic Router Bit Changer - ARC



Laser Module – LM 100W



Laser module for cutting polyester fabrics and simultaneously sealing edges (Cut & Seal).

- CO₂ 100W laser
- For polyestertextiles, thicknesses up to 2mm
- Sealed edges prevent fraying
- Class 1 laser (safe under all conditions of normal use)
- Compatible with G3



Router module – RM-S

- 1 kW router spindle with manual collet • Routing depth up to 25 mm
- Optional Minimal Quantity Lubrication -MQL for processing aluminium/ACM
- Surface compensation for precise routing despite variances in material thickness
- For bits with shaft Ø up to 6 mm
- Compatible with S3



Router module – RM-120

- 1 kW router spindle with manual collet
- Ideal module for processing foam materials up to 110 mm / 4.3 in thick
- Routing up to 50 mm / 2 in deep pockets
- For bits with shaft Ø up to 6 mm
- Compatible with G3 cutters with 120 mm beam height





Efficient system for automating router bit changes – from selecting the right bit to clamping, initializing and bit cleaning.

- Dramatic reduction in time spent changing bits
- Maximum routing efficiency and profitability
- Automatic cleaning with every bit change
- Pneumatically controlled cover protects magazine from routing dust and debris
- In conjunction with ZCC software, automatic records of usage and application data for each bit provide superior quality control
- Compatible with G3

ARC

- Magazine accommodates 8 bits (6 standard bits, 2 v-groove bits)
- Compatible with RM-A QC

ARC HSK

- Magazine accommodates 8 bits with HSK collet holders
- Compatible with RM-L



Polyester textiles



Roll-ups



Flags, banners



Exhibits, displays

Marking and Plotting

Marking Modules – MAM




Marking and labeling of wide range of materials with commonly available pen inserts.

- Simple handling
- Plotting/drawing of die-lines, seams, patterns, guidelines
- Wide assortment of cost-effective drawing tools available from Zünd

Universal Drawing Tool – UDT



- Drawing tool for use with widely available, standard pen inserts in various line thicknesses.
- Drawing/plotting of assembly markers, dash symbols, lettering, etc. • Compatible with G3, S3, D3







Shoes













Punching and Perforating



High-performance punch modules for leather and textiles.

- · Excellent, consistent hole quality
- Up to 8 holes per second
- Two independently operating pneumatic punch tools
- Wide assortment of 0.5–5.5 mm Ø punching bits available from Zünd
- Reliable waste removal into an integrated receptacle
- Depending on module version, additional notching, marking, or piercing functions

Module versions

Notching Marking Module – NMM

- 2 punching/notching tools for efficient hole
- punching and precise V- and I-notches
 - Compatible with S3, L3
- Compatible with **G3**, **D3**

• 2 punching tools for efficient hole punching • 1 marking tool for patterns and seams





Universal Carrier Module


Universal Modules – UM



Raster Braille Tool – RBT




Efficient method for producing Braille (raised marking system for the blind). Secure fit of spheres in the substrate • Compatible with G3, S3, D3



Signs for the blind or visually impaired

Roofing insulation



Punching Marking Module – PMM-S

Punching Pricking Module – PPM-S

- 2 punching tools for efficient hole punching • 1 awl for pre-piercing even, high-quality seams
- Compatible with S3, L3





06/2020

Zünd Systemtechnik AG Industriestrasse 8 CH-9450 Altstätten T +41 71 554 81 00 info@zund.com www.zund.com

